

The 'classic' bumblebee with two lemon-yellow stripes and a bright white tail. A common species, found in a wide range of habitats. Workers are almost indistinguishable from Buff-tailed bumblebees, and together they're known informally as BLT. This short-tongued species enjoys knapweed, thistle and clover.

LENGTH	2cm
STRIPES	3
COLOURS	3
TONGUE	Short
FOUND Co	mmon



The Common carder bee is the UK's only widespread all-ginger bumblebee. It is the earliest of the carders to emerge in spring, and usually the latest-flying bumblebee from summer nests. Carder bumblebees have 'shaggy' hair compared to the Moss carder bumblebees' velvety buzz-cut.

LENGTH	1.3cm
STRIPES	0
COLOURS	1
TONGUE	Long
FOUND Co	mamaon



The Buff-tailed bumblebee is the UK's biggest bumblebee. The queen's yellow, tea-stained tail tells her apart from the similar looking White-tailed bumblebee. If it comes across a flower too deep for it's tongue, it will bite a small hole at the base and suck out the nectar - known as nectar robbing!

LENGTH	2.1cm
STRIPES	3
COLOURS	3
TONGUE	Short
STATUS C	ommon



The Garden bumblebee has the longest tongue of any bumblebee species in the world. It can stretch to 2cm, almost the size of its own body! It has three yellow stripes, a white tail and a long, thin face. Because of its long tongue, it favours tubular flowers like foxglove.

LENGTH	1.9cm
STRIPES	4
COLOURS	3
TONGUE	Long
STATUS CO	ommon



An abundant species, found in a wide range of habitats across the UK. Queens and workers are jet-black, with a bright red tail. Males have a yellow moustache and two yellow stripes. Red-tailed bumblebees nest underground, typically in old mouse and vole holes.

LENGTH 2.20	n	i
-------------	---	---

 75-6	

	$\overline{}$				_
	\frown	,	7/	IRS	2
•					

TONGUE Medium

STATUS Common



Heath bumblebees can be found in most habitats but are most abundant in acid areas on moorland and heath, hence its name. It has a similar stripe pattern to the Garden bumblebee, but this small, fluffy bumblebee has a round face, whereas the Garden bumblebees' is long.

LENGTH	1.4cm
STRIPES	4
COLOURS	3
TONGUE	Short
STATUS C	ommon



Scientific name: Bombus pratorum

FACT FILE

The Early bumblebee is the UK's smallest bumblebee. It has a bright orange tail and lemon yellow stripes. It is so called as it is one of the first to emerge in spring. It is an important pollinator of soft fruits including raspberry and blackberry. Workers emerge silverywhite before changing to their normal colour.

LENGTH	1.7cm
STRIPES	3
COLOURS	3
TONGUE	Short
STATUS CO	ommon



First arriving in the UK in 2001, the Tree bumblebee is now widespread and found in woodlands and gardens. It nests in tree holes and bird boxes. In spring, males can be seen 'swarming' outside nest entrances, waiting for new queens to emerge from the nest to mate with.

LENGTH	1.5cm
STRIPES	2
COLOURS	3
TONGUE	Short
STATUS C	ommon